STA 111 (Summer Session I)

Lecture Eight – Functions of Random Variables D.S. Sections 3.8 and 3.9

Instructor: Olanrewaju (Michael) Akande

Department of Statistical Science, Duke University

May 27, 2016

Outline

- Questions from Last Lecture.
- Functions of Continuous Random Variables
- Cumulative Distribution Function (CDF) Technique
- Change of Variable Technique
- Recap

Objectives

By the end of class, you should be able to derive the marginal distribution of functions of a continuous random variable using the:

- Cumulative Distribution Function (CDF) Technique
- Change of Variable Technique

Motivation

- Let X be a continuous random variable, and Y = h(X), a function of X. We have already talked about how to find the expectation of Y from previous lectures. What if we want more than that?
- For simplicity, we will assume that h(X) is a well-behaved function of X. That is, h is continuous, monotone and its inverse h^{-1} exists.
- Notice that Y must also be a random variable that has its own distribution since it is a transformation of a random variable. Can we derive that?
- Example 1: Let X be a continuous random variable with pdf $f_X(x) = 4x^3$, 0 < x < 1 and let $Y = X^2$. What is the pdf of Y?

Illustration

- Sometimes it makes more sense (and can be relatively straightforward) to first find the cdf of Y and then derive the pdf using calculus and what we have learned so far.
- Back to our example, what is the cdf of X? We'll do that in class.
- Recall: $f_X(x) = 4x^3$, 0 < x < 1.

Illustration

- Then,
$$F_Y(y) = P(Y \le y) = P(X \le \sqrt[4]{y}) = F_X(\sqrt[4]{y}) = (\sqrt[4]{y})^4 = y^2$$

Do you know why $X \nleq \sqrt[\pi]{y}$?

- $\boldsymbol{\mathsf{-}}$ Now that we know what the cdf of Y is, can you figure out what the cdf of X is?
- What is the support for y?

Another Illustration

Example 2: Let X_1, X_2, \cdots, X_n be a random independent and identically distributed (iid) sample from the distribution with pdf $f(x) = 3x^2$ on $0 \le x \le 1$

Now, Let $Y = max\{X_1, X_2, \dots, X_n\}$. Can we find E(Y)?

First, can we figure out what the pdf of Y is?

(Think about this: what does being the maximum really mean? If the maximum of X random variables is less than y, what is the relationship between each of the X's and y?)

Also, what is the cdf of X?

7 / 13

Another Illustration (Cont'd)

As in the previous example, first find the cdf $F_X(x)$ of X.

Thus,
$$F(y) = P(Y \le y) = P(X_1 \le y, X_2 \le y, \dots, X_n \le y)$$

$$\Rightarrow$$
 $P(Y \le y) = P(X_1 \le y \text{ and } X_2 \le y \text{ and } \cdots \text{, and } X_n \le y)$

$$\Rightarrow P(Y \le y) = P(X_1 \le y) \times P(X_2 \le y) \times \cdots \times P(X_n \le y)$$

Can you see why this is the case?

$$\Rightarrow F_Y(y) = P(Y \le y) = F_{X1}(y) \times F_{X2}(y) \times \cdots \times F_{Xn}(y)$$

$$\Rightarrow F_Y(y) = y^3 \times y^3 \times \cdots \times y^3 = y^{3n}$$

Another Illustration (Cont'd)

$$\Rightarrow f_Y(y) = (3n)y^{3n-1} \text{ on } 0 \le y \le 1$$

Do you know why that is the support of Y?

Now,

$$E(Y) = \int_0^1 y(3n)y^{3n-1}dy = 3n \int_0^1 y^{3n}dy$$

Therefore,
$$E(Y) = \frac{3n}{3n+1}$$

How about $Z = min\{X_1, X_2, \dots, X_n\}$, can you find E(Z)? To be done in class.s

Shortcut to the cdf technique

If the function h(X) is a continuous function with an inverse (which we already assumed), there is a neater and faster way to find its pdf.

Let
$$Y = h(X)$$
, then if the inverse exists, $X = h^{-1}(Y)$

Also, the derivative of X with respect to Y is
$$\frac{dX}{dY}$$

Thus, the pdf of Y,
$$f_Y(y) = f_X[h^{-1}(Y)] \times \left| \frac{dX}{dY} \right|$$

Example 1 again

$$f_X(x) = 4x^3 \text{ on } 0 \le x \le 1 \text{ and } Y = X^2.$$

Inverse of
$$Y = X^2$$
 is $X = h^{-1}(Y) = \sqrt[4]{y}$ and $\frac{dX}{dY} = \frac{1}{2\sqrt[4]{y}}$

Then,
$$f_X[h^{-1}(Y)] = f_X[\sqrt[+]{y}] = 4(\sqrt[+]{y})^3 = 4y(\sqrt[+]{y})$$

Therefore,
$$f_Y(y) = \frac{1}{2\sqrt[4]{y}} \times 4y(\sqrt[4]{y}) = 2y$$

Do we have the same answer as before?

Another Example

Example 3 (D.S. Chapter 3 Exercises Question 4 – to be done in class): Suppose that the pdf of a random variable X is $\frac{x}{2}$ for $0 \le x \le 2$. What is the cdf of $Y = 4 - X^3$? We'll try both methods!

Recap

You should now be able to:

- Derive the marginal distribution of functions of a continuous random variable using the CDF method
- Use the change of variable technique as a shortcut to the cdf method